

## Speed Guardian™

Speed Display signs

POLICE RADAR · POLICE LASERS · SURVEY LASERS · SPEED SIGNS

Speed Guardian is a speed display with internal radar, which can be deployed in a number of situations. The sign can be mounted to a pole, and there are also versions mounted to a rolling chassis and for temporary mounting to a vehicle. Please visit our website at www. mphindustries.com or contact us for additional information as to how Speed Guardian can be used to control vehicle speeds in your area.

- · Choice of red or amber speed display, 2 or 3 digits.
- Choice of solar power, 110 Volt AC supply, on-board battery power with AC recharger, or 12 Volt DC power cord.
- Mounting brackets available for banding to a pole, bolting to a perforated sign post, or temporary mounting on a vehicle.
- Optional SpeedView traffic data computer for high-accuracy data collection and reporting.



Speed Guardian with top-mounted "Your Speed" sign, mounted on perforated post



Speed Guardian with yellow wrap around "Your Speed" sign, mounted to round pole



Speed Guardian with white wrap around "Your Speed" sign, mounted to round pole



Speed Guardian with top-mounted "Your Speed" sign, powered by standard solar package, all mounted to round pole





## Speed Guardian™

**Specifications** 

**Description:** Speed display, with self-contained, one-direction radar, which only measures the speeds of vehicles moving toward the display. Display is constructed with Super-bright light-emitting diodes (LEDs), giving many years of service and requiring no maintenance. Many power options are available, including 110 Volt AC, solar power, self-contained battery with 110 Volt AC charger, or 12 Volt DC power cord. Mounting options polemounting, vehicle mounting (referred to as the Speed Monitor IV) or mounting to a rolling chassis (referred to as the Crossing Guardian).

**Display Characteristics:** Two, 12 inch high digits, choice of amber (standard) or red display

Viewable from over 600 feet

Constructed with Super-bright light emitting diodes

**Display Housing:** Constructed from medium gauge aluminum

Scratch-resistant Margard® displaywindow

Weatherproof to NEMA 4 rating

Radar Specifications: K-band DS-4<sup>TM</sup> Ranging approach-only<sup>TM</sup> traffic radar

25 mW transmitter power 40 degree antenna beam width

Type accepted under FCC Part 15

Power Options: Choose from

110 VAC power converter

Solar power option (solar battery in separate housing) Internal battery pack with charger (8-10 hours of operation)

12 VDC power cord

Physical Characteristics: Width: 21.8 inches

Height: 17.8 inches Depth: 6.8 inches

Weight: 22 pounds (depending on power options)

Accessories and Options: Signage (speed limit, school zone, crossing signs, etc.)

Highly accurate SpeedView<sup>TM</sup> radar-based traffic statistics computer

Now available with

Bluetooth

Trunk mounted unit with 12 VDC now

Trunk-mounted unit with 12 VDC power cord (Speed Monitor IV)

communication! Standalone wheeled unit (Crossing Guardian)



Crossing Guardian



Speed Monitor IV